



*...sepse dera jeton me ju!*

---

CATALOG  
2022  
Exclusive Design





### ELVIAL XCLUSIVE 88 i2

Category: Aluminum Frames, Elvial, Exterior doors  
Exterior door thermal break casement, with face width of 77mm.

**ELVIAL XCLUSIVE 88 i2** exterior door three-level thermal break system is a new solution proposed that changes things at its category. It integrates all thermal insulation, sealing and design benefits, combining them with the previous security and functionality applications.

### TECHNICAL CHARACTERISTICS

Dimensions:

Frame profile depth: 77 mm

Frame face width: 68,3 mm

Maximum glass thickness: 15-52 mm casement/ sheet 24-61 mm

Sheet profile depth: 77 mm

Sheet face width: 96.7 mm

### Characteristics-

High thermal insulation performance thanks to the application of 24mm glass reinforced polyamide bars

Mechanism: MACO


EPDM sealing gaskets

Fitted panel on the sheet option, in and out

Profiles have straight form

Charge groups in accordance with DIN EN 12207/12208/12210

### ELVIAL 88I2



**D90**  
Entrance doors  
of outstanding  
energy efficiency

**ALUMINCO**



#### CONSTRUCTION DIMENSIONS

SASH WIDTH mm	1400
SASH HEIGHT mm	3000
MAX. SASH DIMENSIONS mm (WxH)	-
MAX. SASH WEIGHT Kg	200

#### CERTIFICATES/PERFORMANCES

THERMAL INSULATION U <sub>f</sub> EN ISO 10077-2	1.6-1.8 W/m <sup>2</sup> K
THERMAL INSULATION U <sub>f,Edge</sub> EN ISO 10077-2	1.5-2.2 W/m <sup>2</sup> K

#### INSULATION

DUAL LAYER POLYAMIDES mm	18
FOAM	

#### SYSTEM PROFILE DIMENSIONS

MIN. FRAME DEPTH mm	89.5
MIN. FACE HEIGHT mm	170.2
GLASS THICKNESS mm	60


#### Rate of Insulation

**U<sub>d</sub>=0.79 W/m<sup>2</sup>K**

Thermal conductivity coefficient has calculated for the construction:

1300x2500 with U<sub>p</sub>=0.33 W/m<sup>2</sup>K

Type of panel: 2/85.5/2











## THE CLOSEST THING TO PERFECTION



It catches your eye from a distance.

You walk towards it, subconsciously picking up the pace. You cannot look away, cannot help but smile. What divine pleasure it is to feel these surfaces and shapes under your fingertips! You run your hand over it in awe as it takes your breath away.

It's unforgettable. An aesthetic and technical masterpiece, it has been honoured at the German Design Awards many times between 2015 and 2019.

FORD by: D-Group®. Made to impress.



CATALOG  
2022








# D110

## Pivot Door System

the epitome  
of magnificence.



### INSULATION

ANTI BI-METAL POLYAMIDES mm	32
FOAM	•

### SYSTEM PROFILE DIMENSIONS

FRAME DEPTH mm	113
DOOR THICKNESS mm	113
ALUMINIUM SHEET THICKNESS mm	3
INSULATION THICKNESS mm	107
ROTATION AXE FROM SASH END mm	250

### CONSTRUCTION DIMENSIONS

SASH WIDTH mm	1000-2000
SASH HEIGHT mm	2100-3000
MAX. SASH DIMENSIONS mm (WxH)	1700x3000
MAX. SASH WEIGHT Kg	250

### CERTIFICATES/PERFORMANCES

AIR PERMEABILITY EN 12207	N/A
WATER TIGHTNESS EN 12208	N/A
RESISTANCE TO WIND LOAD EN 12210	N/A
BURGLAR RESISTANCE EN 1627	N/A
SOUND REDUCTION R <sub>w</sub> EN 717	N/A
THERMAL INSULATION U <sub>f,Edge</sub> ISO 10077-2	2.2-2.8 W/m <sup>2</sup> K





Big results require  
big ambition.



FD001



FD001-2L2F

There are  
no limits.

*Sometimes size does matter. Spacious rooms with high ceilings, majestic villas, castles and masterpieces of modern architecture cannot be fitted with a run-of-the-mill entrance. And some simply refuse to have a regular-sized entrance. A select number of FORD® entrances can be produced as Grande entrances, measuring up to 300 cm in height and 280 cm in width. Along with side elements, they create an impression of breath-taking grandeur. Grande is a world of unparalleled elegance. It is an entrance for spaces and people that are larger than life.*







FD003G

### OneTouch

*Patented handle function, which automatically opens and closes with the help of a finger scanner.*





*Discreet lighting.*



FD004





FD0052F



FD005





FD007



FD008

*Pure lines. Where everything is one.*





FD009



FD010



FD011



FD012








FD014



FD015





FPE016



FPE017





F PE025



F PE026



F PE027



FPE028



FPE022



FPE023



FPE024





FPE039



FPE039



FPE040



FPE020



FPE021



FPE018



FPE019



FD016



FD017





FPE036



FPE037



FPE038



FPE033




FPE034




FPE035



FPE001




FPE002




FPE003



F PE004




F PE005




F PE006







FPE013




FPE014




FPE015






F PE007



F PE008



F PE009








**Flushed Hande**

50-70cm	
70-100cm	
100-150cm	

**Flushed Hande + Led**

50-70cm	
70-100cm	
100-150cm	


















 RAL 9016	 RAL 9006	 RAL 9007
 RAL 1013	 RAL 8014	 RAL 8017
 RAL 8001	 RAL 3003	 RAL 5014
 RAL 7016	 RAL 9005	 RAL 6005



 Antico Grau	 DB 703
 HFM22	 RAL3004FS
 RAL6005FS	 RAL7016FS
 RAL9006FS	 RAL9007FS





# CATALOG 2022



## International



+38349156601



info@d-group.pro



Magjistralka, Prishtine-  
Ferizaj, Km5, Preoce 10500  
Kosove

## Germany (head office)



+4915737515974



de@d-group.gmbh



Rintelenstr 59  
31683 Obernkirchen,  
Germany

## Kosova



+38349504504



ks@d-group.pro



Magjistralka, Prishtine-  
Ferizaj, Km5, Preoce 10500  
Kosove

## Production



+38349693444



ford@d-group.pro



Magjistralka, Prishtine-  
Ferizaj, Km5, Preoce 10500  
Kosove



www.d-group.pro

