




PULL HANDLE CATALOG

2024



DESIGNED
PATENTED
GERMANY

www.d-group.pro





our brands:



distribution brands:



DESIGNED
PATENTED
GERMANY

www.d-group.pro




SS Pull Handle

SS-BRUSHED


A	B	CODE
300	500	SS30I304.500.45.SI /DO
600	800	SS30I304.800.45.SI /DO
800	1000	SS30I304.100.45.SI /DO
1200	1400	SS30I304.1400.45.SI /DO
1300	1800	SS30I304.1800.45.SI /DO
1300	2000	SS30I304.2000.45.SI /DO

SS-DOTED

A	B	CODE
300	500	SSD30I304.500.45.SI /DO
600	800	SSD30I304.800.45.SI /DO
1200	1400	SSD30I304.1400.45.SI /DO
1300	1800	SSD30I304.1800.45.SI /DO



Color Pull Handle



SB-FR45/90

A	B	CODE	
450	650	SS3030I304.650.45.SI	/DO
600	800	SS3030I304.800.45.SI	/DO
1000	1200	SS3030I304.1200.45.SI	/DO
1200	1400	SS3030I304.1400.45.SI	/DO
1200	1600	SS3030I304.1600.45.SI	/DO
1300	1800	SS3030I304.1800.45.SI	/DO



SSB-BRUSHED

A	B	CODE	
450	650	SS30BI304.650.90.SI	/DO
600	800	SS30BI304.800.90.SI	/DO
1000	1200	SS30BI304.1200.90.SI	/DO
1200	1400	SS30BI304.1400.90.SI	/DO
1200	1600	SS30BI304.1600.90.SI	/DO
1300	1800	SS30BI304.1800.90.SI	/DO

COLOR AVAILIABLE:



PULL HANDLE









SS Pull Handle

SS-FR45

A	B	CODE
450	650	SS4020I304.650.45.SI /DO
600	800	SS4020I304.800.45.SI /DO
1000	1200	SS4020I304.1200.45.SI /DO
1200	1400	SS4020I304.1400.45.SI /DO
1200	1600	SS4020I304.1600.45.SI /DO
1300	1800	SS4020I304.1800.45.SI /DO

SS-FR90

A	B	CODE
450	650	SS4020I304.650.90.SI /DO
600	800	SS4020I304.800.90.SI /DO
1000	1200	SS4020I304.1200.90.SI /DO
1200	1400	SS4020I304.1400.90.SI /DO
1200	1600	SS4020I304.1600.90.SI /DO
1300	1800	SS4020I304.1800.90.SI /DO





SS Pull Handle

SS-KK45

A	B	CODE
450	650	SS3030I304.650.45.SI /DO
600	800	SS3030I304.800.45.SI /DO
1000	1200	SS3030I304.1200.45.SI /DO
1200	1400	SS3030I304.1400.45.SI /DO
1200	1600	SS3030I304.1600.45.SI /DO
1300	1800	SS3030I304.1800.45.SI /DO

SS-KK4010- SS Color

A	B	CODE
600	800	SS4010I304.800.90.SI /DO
1200	1400	SS4010I304.1400.90.SI /DO
1400	1800	SS4010I304.1800.90.SI /DO

SS-KK4010- black Color

600	800	SS4010I304.800.90.SI /DO
1200	1400	SS4010I304.1400.90.SI /DO
1400	1800	SS4010I304.1800.90.SI /DO

