



the right choice

Lista e cmimeve: 10.02.2026

PRODUKT KATALOG 2026

■ DOOR HANDLE

■ PULL HANDLE

■ WINDOW HANDLE

■ HARDWARE

■ CYLINDER

■ SCREWS



DESIGNED
PATENTED
GERMANY

www.d-group.pro



our brands:



distribution brands:



DESIGNED
PATENTED
GERMANY

www.d-group.pro

TORA 3 Tube45'



Handle length	145 mm
Rosette-Ø	52 mm
Color	INOX 304 MAT
Material:	INOX304
PZ Code:	I304.DH.TORASS.PZ
FIX Code:	I304.DH.TORASS.FIX
Function	360°

Technical drawing



PZ




FIX



Box = 2+


40 boxes
1 carton = 33kg

ESCUTCHEON



9mm

Black 9mm




6mm
9mm

hollow

DFN067S



NEW PRODUCT



GROUP

DOOR HANDLE




TORA1 - INOX



TORA1

Handle length	145 mm
Rosette-Ø	52 mm
Color	INOX 304 MAT
Material:	INOX304
PZ Code:	I304.DH.TORASS.PZ
FIX Code:	I304.DH.TORASS.FIX
Function	360°

Technical drawing



PZ



FIX



TORA2 - INOX



TORA2

Handle length	145 mm
Rosette-Ø	52 mm
Color	INOX 304 MAT
Material:	INOX304
PZ Code:	I304.DH.TORASS.PZ
FIX Code:	I304.DH.TORASS.FIX
Function	360°

Technical drawing



PZ



FIX



TORA2 - BLACK



TORA2

Handle length	145 mm
Rosette-Ø	52 mm
Color	Black MAT
Material:	INOX304
PZ Code:	I304.DH.TORA2SS.PZ
FIX Code:	I304.DH.TORA2SS.FIX
Function	360°

Technical drawing



PZ




FIX





TORA 3 HANDLE



TORA3 RAL9016 White

Handle Dimens 92x35

Tora 3 HQ-IN

Spindle 160mm

Screw M5x100 *3



TORA 3

DG-TORA3.PZ.92.WH



TORA 3 9005 BlackMat/EV1

Handle Dimens 92x35

Tora 3 HQ-IN


Spindle 160mm

Screw M5x100 *3



TORA 3

DG-TORA3.PZ.92.WH



TORA3 SS LOOK

Handle Dimens 92x35

Tora 3 HQ-IN


Spindle 160mm

Screw M5x100 *3



TORA 3

DG-TORA3.PZ.92.WH




DGROUP

DOOR HANDLE



EUROLINE HANDLE



EUROLINE RAL9010


Handle Dimens 92x75

Euroline HQ-IN

Euroline HQ-AU

Spindle 160mm

Screw M5x100 *3



EUROLINE EV1


Handle Dimens 92x75

Euroline HQ-IN

Euroline HQ-AU

Spindle 160mm

Screw M5x100 *3



EUROLINE EDL


Handle Dimens 92x75

Euroline HQ-IN

Euroline HQ-AU


Spindle 160mm

Screw M5x100 *3





EUROLINE HANDLE



EUROLINE RAL9010 ROL


Handle Dimens 92x75

Euroline HQ-IN

Euroline HQ-AU

Spindle 160mm

Screw M5x100 *3



EUROLINE Ev1 ROL


Handle Dimens 92x75

Euroline HQ-IN

Euroline HQ-AU

Spindle 160mm

Screw M5x100 *3



EUROLINE EDL



Handle Dimens 92x75

Euroline HQ-IN

Euroline HQ-AU

Spindle 160mm

Screw M5x100 *3



SUPERIOR Line




NEW
ARRIVAL

VISUAL Line *per panel*

Handle length	mm
Rosette-Ø	mm
Color	INOX 304 MAT
Material:	INOX304
PZ Code:	I304.DH.TORASS.PZ
FIX Code:	I304.DH.TORASS.FIX
Function	360°

Technical drawing



PZ



Box = 2*



ECO RAL9010

Standard:

Handle Dimens 92pz

Spring:



BERLIN RAL9016

Handle Dimens 92x75 White:

Handle Dimens 92x75 Anthr:

Handle Dimens 92x75 Black:



NEW PRODUCT

NEXO M

Handle Dimens 92x75 White:

Handle Dimens 92x75 Anthr:

Handle Dimens 92x75 Black:



DOOR HANDLE

GROUP



Hinges for PVC



Simonswerk SIKU 3D

Hinges Dimens 18-24

Simonswerk Weiss

Simonswerk Silber

Simonswerk Anthracite

Simonswerk Brown



DR Hahn KTV

Hinges Dimens 18-24

DR Hahn Weiss

DR Hahn Silber

DR Hahn Anthracite

DR Hahn Brown

iBB Hinges for PVC



iBB S120

Hinges Dimens 18-24

S120 Weiss

S120 Silber


S120 Anthracite

S120 Brown





iBB Hinges for PVC



iBB DHP160


Hinges Dimens 18-24

DHP 160 Weiss

DHP 160 Silber

DHP 160 Anthracite

DHP 160 Brown



iBB Hinges for Aluminium



SKLA HINGES 2D

Hinges Dimens -


SKALA 80 - 16mm dy pjese

SKALA 80 - 16mm tri pjese



Ibbb ALU hinges

Hinges Dimens -





IBB - ALU ROLLBAND 3D

Hinges Dimens

-

HH W 100

Hinges for Aluminium



ROLLBAND W1R1

Hinges Dimens

-

Rollband ELVIAL



PANIDIS PHH-100

Hinges Dimens

-

PHH-100-120 D77 EL





IBB - ALU iNO

Hinges Dimens

-

HH W EUCAM 80

Pivot Hinges for Aluminium



PANIDIS PIVOT HINGES 300

Hinges Dimens

MH 300

MPH 300 S



IBB PIVOT HINGES 250

Hinges Dimens

ibbP 250

MPH 300 S





Premium Style
Unmatched Quality.





Premium Pull Handle

NEW
PRODUCT



SS-BRUSHED

A	B	CODE			
610	800	PS30I304.800.90.SI	/DO		inox
610	800	PS30I304.800.90.SI	/DO		black

NEW
PRODUCT



SS-BRUSHED

A	B	CODE			
80	800	PSF30I304.800.90.SI	/DO		inox
80	800	PSF30I304.800.90.SI	/DO		black
80	1400	PSF30I304.800.90.SI	/DO		inox
80	1400	PSF30I304.800.90.SI	/DO		black

NEW
PRODUCT



SS-BRUSHED

A	B	CODE			
250	200	PSS30I304.800.90.SI	/DO		inox
250	200	PSS30I304.800.90.SI	/DO		black









SS Pull Handle

SS-FR45

A	B	CODE			
450	650	SS4020I304.650.45.SI	/DO		
600	800	SS4020I304.800.45.SI	/DO		
1000	1200	SS4020I304.1200.45.SI	/DO		
1200	1400	SS4020I304.1400.45.SI	/DO		
1200	1600	SS4020I304.1600.45.SI	/DO		
1300	1800	SS4020I304.1800.45.SI	/DO		

SS-FR90

A	B	CODE			
450	650	SS4020I304.650.90.SI	/DO		
600	800	SS4020I304.800.90.SI	/DO		
1000	1200	SS4020I304.1200.90.SI	/DO		
1200	1400	SS4020I304.1400.90.SI	/DO		
1200	1600	SS4020I304.1600.90.SI	/DO		
1300	1800	SS4020I304.1800.90.SI	/DO		



SS Pull Handle








SS-BRUSHED

A	B	CODE			
300	500	SS30I304.500.45.SI	/DO		
600	800	SS30I304.800.45.SI	/DO		
800	1000	SS30I304.100.45.SI	/DO		
1200	1400	SS30I304.1400.45.SI	/DO		
1300	1800	SS30I304.1800.45.SI	/DO		
1300	2000	SS30I304.2000.45.SI	/DO		

SS-DOTED

A	B	CODE			
300	500	SSD30I304.500.45.SI	/DO		
600	800	SSD30I304.800.45.SI	/DO		
1200	1400	SSD30I304.1400.45.SI	/DO		
1300	1800	SSD30I304.1800.45.SI	/DO		



PULL HANDLE



SS Pull Handle

SS-KK45



A	B	CODE			
450	650	SS3030I304.650.45.SI	/DO		
600	800	SS3030I304.800.45.SI	/DO		
1000	1200	SS3030I304.1200.45.SI	/DO		
1200	1400	SS3030I304.1400.45.SI	/DO		
1200	1600	SS3030I304.1600.45.SI	/DO		
1300	1800	SS3030I304.1800.45.SI	/DO		

SS-KK4010- SS Color



A	B	CODE			
600	800	SS4010I304.800.90.SI	/DO		
1200	1400	SS4010I304.1400.90.SI	/DO		
1400	1800	SS4010I304.1800.90.SI	/DO	#	

NEW
PRODUCT




SS-KK5025- SS Color

A	B	CODE			
1200	1400	SS5025I304.1400.90.SI	/DO		SS
1200	1400	SS5025I304.1400.90.SI	/DO		black



Color Pull Handle



SB-FR45/90

A	B	CODE			
450	650	SS3030I304.650.45.SI	/DO		
600	800	SS3030I304.800.45.SI	/DO		
1000	1200	SS3030I304.1200.45.SI	/DO		
1200	1400	SS3030I304.1400.45.SI	/DO		
1200	1600	SS3030I304.1600.45.SI	/DO		
1300	1800	SS3030I304.1800.45.SI	/DO		



SSB-BRUSHED

A	B	CODE			
450	650	SS30BI304.650.90.SI	/DO		
600	800	SS30BI304.800.90.SI	/DO		
1000	1200	SS30BI304.1200.90.SI	/DO		
1200	1400	SS30BI304.1400.90.SI	/DO		
1200	1600	SS30BI304.1600.90.SI	/DO		
1300	1800	SS30BI304.1800.90.SI	/DO		

COLOR AVAILIABLE:





CYLINDER LOCK Guard G2

Model	Guard G2
Color	Nickel
Material	Brass
Keys	3 pcs
Security level	3/10
Certification	ISO9001-14000
Warranty	5 years

Dimension

30/35	GUARD-3035G2.N	
30/35WCKblack	GUARD-3035G2.WCKB	
30K/35WC	GUARD-3035G2.WCK	
30K/35	GUARD-3035G2.NK	
35/40	GUARD-3540G2.N	
35K/40	GUARD-3540G2.NK	
35K/40 WCKB	GUARD-3540G2.WCKB	
35/40black	GUARD-3540G2.NB	
32/60	GUARD-3260G2.N	
40/45	GUARD-4045G2.N	
45/55	GUARD-4555G2.N	
45/55WCK	GUARD-4555G2.WCK	
45/55K	GUARD-4555G2.NK	
50/60	GUARD-5060G2.N	
50/70	GUARD-5070G2.N	



GUARD



CYLINDER LOCK Guard G6

Model	Guard G6
Color	Nickel
Material	Brass
Keys	5 pcs
Key Card	1 pc
Security level	6/10
Certification	SKG, ISO9001-14000
Warranty	5 years

Dimension

Dimension	Code	
30/35	GUARD-3035G6.N	
32/64	GUARD-3264G6.N	
32/64K	GUARD-3264G6.NK	
45/55	GUARD-4555G6.N	
50/60	GUARD-5060G6.N	
50/60K	GUARD-5060G6.NK	
50/70	GUARD-5070G6.N	
50/70K	GUARD-5070G6.NK	



CYLINDER LOCK





GUARD G10



CYLINDER LOCK Guard G10

Model	Guard G10
Color	Nickel
Material	Brass
Keys	5 pcs
Key Card	1 pc
Security level	9/10
Certification	SKG, ISO9001-14000
Warranty	5 years

Dimension

30/50	GUARD-3050G10.N	
32/53	GUARD-3253G10.N	
30/60	GUARD-3060G10.N	
32/64	GUARD-3264G10.N	
32/64K	GUARD-3264G10.NK	
47/35	GUARD-4735G10.N	
50/60	GUARD-5060G10.N	
50/70	GUARD-5070G10.N	
54/42	GUARD-5042G10.N	

Code



CYLINDER Smart GS

Model	Guard Smart	
Color	Nickel	
Material	Brass	
Dimension	Code	
35/35K	3535GS.N	
45/45K	4545GS.N	
50/50K	5050GS.N	

Blank Key

Model	Guard Key
-------	-----------



GUARD SMART SB01



RFID CARD



APP CONTROL




TTLOCK



TUYA

For easy removal of sleeve



Test standard 测试标准 > BS EN 15684-2012

1 6 0 4 A F 0 2



IP68



Specifications

Class of protection

- > IP68 anti-water protection

Reading range

- > <20mm

Battery

- > 2x Lithium CR2

Battery life

- > 25,000 cycles of operation(around 2 years of usage)

- > External power supply protection

Capacity


- > Possibility to store up to 1000 user cards

Unlock wa

- > Outside knob controlled by electronics (RFIDcard + NFC Function + APP)

Temperature

- > Extreme working temperature range (-25°C to +65°C)



Dimension

35/65

Code


GUARDSB01-3565GS.N

CYLINDER LOCK





GUARD SMART SA01



Password
unlock



Fingerprint
unlock



RFID Card
unlock



APP
unlock



Type-C
usb

Type-C
USB

Emergency
unlock

Test standard

BS EN 15684-2012

1 6 0 1 A F 0 2



TTLOCK TUYA

Specifications

Reading range

> <20mm

Emergency Power

> Type-C USB

Battery life

> 5,000 cycles of operation(around 10 months of usage)

Work TEM

> -25°C~65°C

Unlock way

> Fingerprint+Password+RFID card+APP+Emergency unloc

Class of protection

> Low battery alert

Battery

> AAA battery X 2 pcs



> External power supply protection

Dimension

50/60

Code

GUARDSG01-5060GS.N



GROUP

CYLINDER LOCK

GUARD SMART SB01



Key
unlock



Fingerprint
unlock



APP
unlock

Test standard

BS EN 16864-2017

1 1 3 4 A D 0 4



TTLOCK



TUYA



Anti-Cutting



Anti-Sawing



Anti-Pull

Specifications

Class of protection

- › IP66 anti-water protection

Capacity

- › Support up to 100 fingerprints

Battery

- › lithium battery

Work TEM

- › -25°C~65°C

Emergency power

- › Type-C USB

Battery Life

- › 3600 cycles of operation(around 9 months of usage)

Application scene


- › Home/outdoor

Low Battery

- › Low battery alert

Entry

- › Fingerprint+Key+APP



Product

PADLOCK

Code

GUARDPS6C01.B

Test standard

BS EN 16864-2017

1 1 3 4 A D 0 4

Unlock way

- › Fingerprint + Password + RFID card + APP

Battery

- › AAA Batteries X4pcs

Emergency power

- › Type-C USB

Capacity

- › Support up to 100 RFID card + 100 passwords+50 fingerprints

Work TEM

- › -25°C~65°C

Class of protection

- › Low battery alert



CYLINDER LOCK

Product

KEYBOX

Code

GUARDKB7A01.B





ISEO

CYLINDER ISEO R6

Model	Guard G2	
Color	Nicker	
Material	Brass	
Dimension	Code	
30/75		
50/60		
50/70		
35/85		
35/95		



CYLINDER ISEO R7

Model	Iseo R7	
Color	Nickel	
Material	Brass	
Dimension	Code	





ISEO

**DOREZA PANICE**

Model	Iseo IDEA
Color	Black, Silver, Anodised
Material	-

Color Code

Black -Red		
Silver - Silver		
Anodised-Inox		
Dy krah (double side)up to250cm		
Dy krah (double side)up to280cm		

D LINE LOCK**BASE001**

Dimensions	92*35 mm
Color	STAINLESS STEEL
Material:	STAINLESSSTEEL INOX304
PZ Code:	WDL.M001.7255.PZ
BB Code:	WDL.M001.7255.BB



Dimensions	92*35 mm
Color	STAINLESS STEEL
Material:	STAINLESSSTEEL INOX304
PZ Code:	WDL.M001.7255.PZ
BB Code:	WDL.M001.7255.BB


BASE002 16mm**BASE002 24mm****BASE002 24mm U Profile***Black Color***GROUP****STANDARD LOCKS**

ELECTRIC STRIKE ESD




ESD Standard D1

Model	ESD ST D1420RFS
Color	Sliver
Code:	ES-1420-RFS



ESD Standard Fix

Model	ESD FIX 420RFS
Color	Sliver
Code:	ES-1420FIX-RFS



ESD Pro Slim S

Model	ESDPRO420SS
Color	Sliver
Code:	ES-1420PRO-SS

ELECTRIC LOCK




Series 580 FR

Fire resistance



ESD 1580 FR



WPS102UCD

Model WPS102UCDDescription: 120kg SIMPLE CON: 160kg SR CON:

DIGIWAY Plus automation system for single swing gates with universal arm



ASSA ABLOY SL500

120x240 nje krah: (me profila)160-200x240 dy krah: (me profila)160-200x280 dy krah: (me profila)

ESD D-125B

4.2 METERS AUTOMATIC DOOR WITH COVER DOOR CONFIGURATION:
SINGLE DOOR DOOR WEIGHT: ≤ 1*200KG, DOUBLE DOOR DOOR WEIGHT ≤ 2*150KG FULL SET: WITH 4 HANGING WHEELS, 2 STOPPERS, 1 GUIDE, 2 BELT CONNECTORS, WITH 2 PCS BLACK COLOR SENSOR WITH SAFETY BEAM, 2PCS REMOTES. 1 CONTROL MACHINE, 1 MOTOR, ONE 6.8 METERS BELT. 2PCS 1METER LENGTH PATCH FITTINGS.

120x240 nje krah: (me profila)120x240 nje krah: (me profila)

Guardtik® window handle **NEXO**

NEW PRODUCT



Nexo Black



Nexo Anthracite



Nexo Silver



Nexo White

Guardtik® window handle **NEXO XL**

NEW PRODUCT



Nexo XL Black



Nexo XL Anthracite



Nexo XL Silver



Nexo XL White



Guardtik® window handle **NEXO**

NEW PRODUCT



Nexo K **Black**



Nexo K **Anthracite**



Nexo K **Silver**



Nexo K **White**

Guardtik® window handle **VISION**

NEW PRODUCT



Vision **Black**



Vision **Anthracite**



Vision **Silver**



Vision **White**

Guardtik®



SECURE LOCKING
Multi-point locking
system for enhanced
safety.



**SOMETHING
SPECIAL MECHANISM**
Advanced internal
mechanism for smooth
and durable performance.



ANTI-TAMPER DESIGN
Engineered to resist
forced manipulation
and tampering.



BUILT TO LAST
High-quality materials
ensuring long-lasting
reliability.



TRUSTED SECURITY
Advanced engineering
for maximum protection
and peace of mind.

GUARDTIK. ENGINEERED TO PROTECT.

Guardtik® window handle **ALBA**



Alba **Black**



Alba **Silver**



Alba **White**



Alba **Anthracite**

Guardtik® window handle **FUTURE XL**



Future XL **Black**



Future XL **Silver**




Future XL **White**



Future XL **Anthracite**




NEW PRODUCT




SWH 067

NEW PRODUCT




SWH 047

NEW PRODUCT



SWP 2047


NEW PRODUCT



SWR 2047


HS HANDLE

NEW PRODUCT



SS DWT067

NEW PRODUCT



SS DWT067S

HOPE NEW YORK



HOPE NewYork

white




WH-FLSecuestick

silver



Maco Harmony

white



Medos Shnaper PVC white



Medos Shnaper PVC Anthracite

NEW PRODUCT



MAX LINEAR ACTUATORS

NEW
ARRIVAL



HS HANDLE



HSX-XL HF wh. silv. anth.



HSX-XL HH wh. silv. anth.

NEW PRODUCT



White
Silver

NEW PRODUCT



Sliding S Handle White Silver Black



Sliding ST Handle White



GROUP

WINDOW SLIDING HANDLE



smart phone

Sistem biometric Fingerprint



Per sistem pivot

E Key G-U Secure connect set



Assa Abloy EA280



Assa Abloy 10305



Flushed Hande

50-70cm

70-100cm

100-150cm

150-200cm

Flushed Hande + Led

50-70cm

70-100cm

100-150cm

150-200cm



Dorez Fix INOX katror me sistem biometric Fingerprint

dim. 650 mm

dim. 1400 mm

dim. 1800 mm

Fingerprint



Lock MACO ZTA+

135-150




Assa Abloy PLANET for PIVOT

145-160



Assa Abloy PLANET for PIVOT ALU





Luge Xhami

Model:	Wooden Plastic
Color	Black
Code:	ES-1420-RFS



Marker

Model	MEDMM
Color	7016/9015/9007
Code:	ES-1420PRO-SS



Anker per PVC

Model (KBE,gealan 70mm)	44.5mm	
Model (Inoutic Prestige)	49mm	



Kapak Shiu

White	
Anthracit	
Brown:	



Kende Saldimi

50x40	
50x60	
50x50	




HEKER I Frezuar

50x40x2mm	6.0m	
50x40x2mm	2.2m	
60x40x2mm	6.0m	
60x40x2mm	2.2m	
45x40x2mm	2.2m	
50x50	2.2m	
50x50	6.0m	
Geneo	2.3m	
Geneo	6.0m	



DIMENSION	COLOR		
Pikore 5cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 7cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 9cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 11cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 13cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 15cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 16.5cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 18cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 19.5cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 21cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 22.5cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 24cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 26cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 28cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		

DIMENSION	COLOR		
Pikore 30cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 32cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 34cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 36cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 38cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		
Pikore 40cm	E bardhe 9016		
	Hiri EV1		
	Antracit 7016		



COMMENT:



pa montim ☐
me montim ☐

ROKA TOP-2



pa montim ☐
me montim ☐

MBULOJSA
HPL



pa montim ☐
me montim ☐



pa montim ☐



ILLBRUCK

Orafol Grey Acryl foam tape



0.4mm*8mm*33m

0.4mm*20mm*33m

0.64mm*8mm*33m

1.1mm*20mm*33m

1.1mm*32mm*33m

1.5mm*10mm*25m

clear 1.5mm*30mm*25m

clear 1.5mm*50mm*25m

2.0mm*10mm*16.5m

4.0mm*20mm*8m

30 PRIMER 94Baz e 11



Shirit dub. 4mm*10mm*33m

TN 136 4mm 33m

Shirit dub. 3mm*10mm*33m

TN 136 3mm 33m

Single side Foam tape



DR10x40x40

500pcs

DR10x20x20

500pcs

Ngjites HighTack

SP350



600ml

General Electt

GE SCS2000 SilPruf



600ml

Sp200 Black

Silicon ALU



cosmo:



Chemical Anchor

M300



SP340 NGJITES FAS

600ml



5L

AT140 Primer Baze Universal



SSG Unicleaner
Pastrues per baze st

SSG

SEALANTS

GROUP





600ml NGJITES FASADE



Merbenit Sf50 grey

Merbenit Sf50 white

Merbenit Sf50 black



Merz-Benteli
Baza

1L

V40



Merz-Benteli
Pastrues per baze st

1L

V2



NEW PRODUCT

U PRIMER-NPT 1L
Baza (black)

130

NEW PRODUCT

Pastrues

Tecnocleaner 400
1000mL



600ml HYBRID 650 NGJITES FAS
SIGILL EVOLUTION



NEW PRODUCT

SIGILL POLITANCE
770

290mL



NEW PRODUCT

SIGILL EVOLUTION
HIGH TACK 670 290mL





IZOLIM ME NGJITES NE DY ANET
M E510 E70



KOMPRIBAND
TP310

NEW PRODUCT



TP670 ILLMOD
30/6-18 5.3m r

NEW PRODUCT



ILLBRUCK TP655 ILLMOD TRIO
59/6-15 12m r
66/6-15 12m r
77/10-25 8m r



IZOLIM ME NGJITES KOMPLET
ME321 E100
ME321 E150





FOLI DIFUZIVE - CA140

CA-140 75m2

CA-140 byt. 75m2

CA-140 byt. 75m2 (kunderzjarrit)



Foli butyl Alumini

CDFS100 -10cm

CDFS150 -15cm

CDFS200 -20cm



IZOLIM ME NGJITES NE DY ANET

Dc100 -100

Dc150 - 150




IZOLIM ME NGJITES NE DY ANET

It100 inside

Ot100 outside

Ot150 outside



Thread-Ø d/mm	Head-Ø dk	Finishing ZP	Head height k
4.8	18		1,5

COLOR

Dimensions: qty/box

RAL9016	4.8x18	1 pcs	
RAL9005	4.8x18	1 pcs	
RAL8011	4.8x18	1 pcs	
RAL7016	4.8x18	1 pcs	
RAL1013	4.8x18	1 pcs	
RAL3011	4.8x18	1 pcs	
MILLFINISH	4.8x18	1 pcs	

**Dorma ITS91**

Model	ITS 900	
Color	Sliver	Hold Open
Code:	Stoperi	

**Dorma ITS96 Hidden**

Model	ITS 96	
Color	Sivler	Hold Open
Code:	Stoperi	

**AssaAbluy DC310**

Model	EN 3-6 mbylles vijor	
Color	Sliver/black	
Code:	Stoper:	

**ASSA ABLOY DC 840**

Model	EN 1-4 mbylles vijor I fshehur	
Color	Sliver	
Code:	ES-1420FIX-RFS	

**ASSA ABLOY DC 860**

Model	EN 1-5 mbylles vijor I fshehur	
Color	Sliver	
Code:	ES-1420FIX-RFS	



ProD D-161

Description

Silver

Black

Door weight: 40-65kg
Max. door width: 900mm
Screws size: 162*19mm
With stop at 90°



ProD D-6325

Description

Silver

Black

Door weight: EN2-EN5 (40-120kgs)
Max. door width: 1200mm
without hold open



ProD D-6325D

Description

Silver

Black

Door weight: EN2-EN5 (40-120kgs)
Max. door width: 1200mm, With stop at 0-115°
adjust by rail, the door closer already is hydraulic, it will close in two stage speed





ALGOR

LC3009618	LC3009609	300	3.2 / 2.4	32	96
LC40012007	LC40012001	400	3.6 / 2.8	30	120
LC42010802	LC42010801	420	3.8 / 3.0	30	108
LC50012004	LC50012003	500	4.0 / 3.2	30	120
LC55013204	LC55013205	550	4.2 / 3.5	32	132
Lc60019205	Lc60019206	600	4.2 / 3.5	32	192

GAMA

Gama40096	Gama400	400	/	30	96
GamaIII40080	GamaIII	400	/	30	80
GamaIV40096	GamaIV	400	/	30	96

TAURI

TAURI400	TAURI400	400	/	30	72
----------	----------	-----	---	----	----

INDUSI

INDUSI30096	INDUSI300	300	/	32	96
-------------	-----------	-----	---	----	----

LYNX

LYNX30096	LYNX300	300	/	30	96
-----------	---------	-----	---	----	----


LEGNO

LEGNO12524	LEGN125	125	/	30	24
LEGNO18024	LEGN180	180	/	30	36

Vrimat shitesë / **Pinholes**

d Ø 30 = sipas kërkesës / on request

d Ø 32 = 2 / 11 / 63



AL

Tehi, me një pozitive këndi i prerjes

I projektuar për aliazh alumini dhe PVC-je, prerje profesionale e profilit standard dhe me ngjyra. Për makineri automatike.

EN

Trapezoidal-Flat positive tooth for automatic machine

Suitable for cutting aluminium profiles and solids and non / ferrous alloys. For automatic machines.

AL

Tehi, me një negative këndi i sulmit të prerjes

I projektuar për aliazh alumini dhe PVC-je, prerje profesionale e profilit standard dhe me ngjyra. Për makineri manuale.

EN

Trapezoidal-Flat negative for manual machine


Suitable for cutting aluminium profiles and solids and non / ferrous alloys. For manual machines.

Rezultatet maksimale në mprehje,

Maximum results for the longest cuts



HARDWARE SCREW




Thread-Ø d/mm	Head-Ø dk	Small Box k	Quality k
4,3	PH2	1000 pcs	ZP CR3
	PH2	4000 pcs	

Dimensions: qty/box

4.3x25	1000pcs	
4.3x25	4000pcs	
4.3x35	1000pcs	
4.3x45	500pcs	
5.0x50	500pcs	
5.0x70	500pcs	
5.0x100	500pcs	

SLEFDRILL SCREW




Thread-Ø d/mm	Head-Ø dk	Small Box k	Quality k
3,9	PH2	1000 pcs	ZP CR3

Dimensions: qty/box

3.9x19	1000pcs	
3.9x19	4000pcs	
3.9x25	1000pcs	
3.9x25	4000pcs	
3.9x32	1000pcs	
3.9x38	1000pcs	
3.9x38	4000pcs	
4.8x70	500pcs	
4.8x25	500pcs	
4.8x50	500pcs	
4.8x100	200pcs	

SHOUTER SCREW




Thread-Ø d/mm	Head-Ø dk	Small Box k	Quality k
3,9	T	1000 pcs	ZP CR3

Dimensions: qty/box

3.9x11	1000pcs
--------	---------


SILLS SCREW



Thread-Ø d/mm	Small Box k	Quality k
3.9	1500 pcs	ZP CR3

Dimensions: qty/box


3.9x22	1000pcs	
--------	---------	--



White 9016	500pcs	
Anthr 7016	500pcs	
Black 9005	500pcs	




ANORCH SCREW



Thread-Ø	Head-Ø	Small Box	Quality
d/mm	dk	k	k
7,5	11	100 pcs	ZP CR3

Dimensions: qty/box


7.5x112	100pcs	
7.5x132	100pcs	
7.5x152	100pcs	
7.5x182	100pcs	
7.5x212	100pcs	



Thread-Ø	Head-Ø	Small Box	Quality
d/mm	dk	k	k
7,5	9	100 pcs	ZP CR3

Dimensions: qty/box

7.5x112	100pcs	
7.5x132	100pcs	
7.5x152	100pcs	
7.5x182	100pcs	
7.5x212	100pcs	



Thread-Ø	Head-Ø	Small Box	Quality
d/mm	dk	k	k
11.5	9	50 pcs	ZP CR3

Dimensions: qty/box

11.5x222	50pcs	
----------	-------	--




Thread-Ø	Head-Ø	Color	Head height
d/mm	dk	RAL	k
7,5	#	7016	3,5

White 9016	100pcs	
Anthr 7016	100pcs	
Black 9005	100pcs	



Hex washer self-drilling screw with EPDM washer, zinc plated




Thread-Ø	Head-Ø	Small Box	Quality
d/mm	dk	k	k
5.5	2.5	500pcs	ZP CR3

Dimensions: qty/box

5.5x25	500pcs	
5.5x50	100pcs	
5.5x70	100pcs	

ANORCH SCREW




Thread-Ø	Head-Ø	Small Box	Quality
d/mm	dk	k	k
5.5	T	100pcs	ss

Dimensions: qty/box

inox	5.5x50	100pcs	
	5.5x70	100pcs	
	5.5x50	100pcs	
	5.5x70	100pcs	


HARDWARE SCREW



Thread-Ø	Small Box	Quality
d/mm	k	k
3.9	1500 pcs	ZP CR3


Dimensions: qty/box

3.9x22	1000pcs	
--------	---------	--



White 9016	500pcs	
Anthr 7016	500pcs	
Black 9005	500pcs	

SILLS SCREW




Thread-Ø	Head-Ø	Small Box	Quality
d/mm	dk	k	k
5,5	T	100 pcs	ZP CR3

Dimensions: qty/box

5.5x25	100pcs	
--------	--------	--



Bulona per Fasada ventiluese:



Thread-Ø d/mm	Head-Ø dk	Small Box k	Quality k
5.5	2.5	500pcs	ZP CR3

Dimensions: qty/box

5.5x25


500pcs



Dimensions: qty/box

16x85

pcs



Thread-Ø d/mm	Head-Ø dk	Small Box k	Quality k
M10	PH2	100 pcs	Zinc Plated

Dimensions: qty/box


M10x100 100pcs

M10x120 100pcs

M10x140 100pcs

M10x160 100pcs

M10x180 100pcs




Thread-Ø d/mm	Head-Ø dk	Small Box k	Quality k
M12	PH2	100 pcs	Zinc Plated

Dimensions: qty/box

M12x100 100pcs

M12x120 100pcs

M12x140 100pcs




Thread-Ø d/mm	Head-Ø dk	Finishing	Head height k
10	60	ZP Cr3	1,5

Dimensions: qty/box

M10x100 pcs

M10x120 pcs

M10x150 pcs



Thread-Ø d/mm	Head-Ø dk	Finishing	Head height k
12	60	ZP Cr3	1,5


Dimensions: qty/box

M12x120 pcs

M12x150 pcs



ANORCH SCREW




Thread-Ø d/mm	Head-Ø dk	Small Box k	Quality k
M12		100 pcs	SS

Dimensions: qty/box

inox

M12x80	100pcs	
M12x60	100pcs	
M12x35	100pcs	
M12x80	100pcs	
M12x60	100pcs	

HARDWARE SCREW




Thread-Ø d/mm	Head-Ø dk	Small Box k	Quality k
M8		100 pcs	Stainless steel 304

Dimensions: qty/box

inox

M8x30	100pcs	
M8x50	100pcs	
M8x65	100pcs	

HARDWARE SCREW




Thread-Ø d/mm	Head-Ø dk	Small Box k	Quality k
M10	PH2	100 pcs	Zinc Plated

Dimensions: qty/box

M10x100	100pcs	
M10x120	100pcs	
M10x140	100pcs	
M10x160	100pcs	
M10x180	100pcs	

HARDWARE SCREW



Thread-Ø d/mm	Head-Ø dk	Small Box k	Quality k
M12	PH2	100 pcs	Zinc Plated


Dimensions: qty/box

inox

M12x100	50pcs	
M12x120	50pcs	
M12x140	50pcs	
M12x100	100pcs	
M12x120	100pcs	
M12x140	100pcs	




Concrete Screw with Plastic Plungs



Thread-Ø d/mm	Head-Ø dk	Finishing ZP	Head height k
85-160	10		1,5

Dimensions: qty/box

10x80	1pcs	
10x100	50pcs	
10x120	50pcs	
10x140	50pcs	
10x160	50pcs	




Thread-Ø d/mm	Head-Ø dk	Finishing ZP	Head height k
85-160	12		1,5

Dimensions: qty/box

12x80	1pcs	
12x100	1pcs	
12x120	1pcs	
12x140	1pcs	
12x160	1pcs	

Aluminium Blind Rivet with Large Domed Head, Painted



Thread-Ø d/mm	Head-Ø dk	Finishing ZP	Head height k
4.8	18		1,5

COLOR

Dimensions: qty/box

RAL9016	4.8x18	1 pcs	
RAL9005	4.8x18	1 pcs	
RAL8011	4.8x18	1 pcs	
RAL7016	4.8x18	1 pcs	
RAL1013	4.8x18	1 pcs	
RAL3011	4.8x18	1 pcs	
MILLFINISH	4.8x18	1 pcs	





the right choice

