

®



*Lista e cmimeve: 15.01.2026*

PRODUKT KATALOG 2026

■ DOOR CLOSER

■ GLASS DOOR ACCESSORIES

■ WINDOW

■ ELECTRONIC DOOR

■ SPIDER SYSTEM

■ SCREWS



DESIGNED  
PATENTED  
GERMANY

[www.d-group.pro](http://www.d-group.pro)



our brands:



distribution brands:



DESIGNED  
PATENTED  
GERMANY

[www.d-group.pro](http://www.d-group.pro)



## ELECTRONIC DOOR SYSTEM

### ESD D-202G

#### Description

With 1 receiver and  
wireless press switch



### ESD D-204T

#### Description

Micro wave sensor




### ESD D-205T

#### Description

5 STAGE SWITCH WITH KEY






## ESD D-125B

### Description

4.2 METERS AUTOMATIC DOOR WITH COVER DOOR CONFIGURATION:  
SINGLE DOOR DOOR WEIGHT:  $\leq 1 \times 200\text{KG}$ , DOUBLE DOOR DOOR  
WEIGHT  $\leq 2 \times 150\text{KG}$  FULL SET: WITH 4 HANGING WHEELS, 2 STOPPERS, 1  
GUIDE, 2 BELT CONNECTORS, WITH 2 PCS BLACK COLOR SENSOR WITH  
SAFETY BEAM, 2PCS REMOTES. 1 CONTROL MACHINE, 1 MOTOR, ONE  
6.8 METERS BELT. 2PCS 1METER LENGTH PATCH FITTINGS.



## ESD D-150

### Description

Single Electric floor spring  
Door configuration: for single door  
Max door Weight:  $1 \times 100\text{KG}$   
door single opening at  $90^\circ$   
Max door leaf width: 1200mm  
With two remote controllers  
with 2 pcs sensor, one motor control one  
floor spring



## ESD D-100

### Description

Single Electric door closer  
Door configuration: for single door  
Max door Weight:  $1 \times 100\text{KG}$   
door single opening at  $90^\circ$   
Max door leaf width: 1200mm  
With two remote controllers  
with 2 pcs normal sensor





## ESD D-750

### Description


Glass to glass with remotes



## ESD D-65

### Description

Head: Square Mab pin, Capacity: EN3=100kgs with stop at 90°&120°, Max open degree: 120°, without door accessory



## ESD D-205T

### Description

5 STAGE SWITCH WITH KEY





## Elegance D888

### Description

Fully Aluminum body, SS304 Cover Hydraulic hinge, max door capacity: EN3, 100kgs, max door width: 1000mm with hold open at 90° & 120°, max open degree: 180°, life cycles: 500,000 times, Fit for 8-12mm glass Match with K-880, 15MM insert.



## Elegance D888 Black

### Description

Fully Aluminum body, SS304 Cover Hydraulic hinge, max door capacity: EN3, 100kgs, max door width: 1000mm with hold open at 90° & 120°, max open degree: 180°, life cycles: 500,000 times, Fit for 8-12mm glass Match with K-880, 15MM insert.



## Elegance D-161

### Description

SS304, match with KE-20, 15MM insert.



## Elegance D-10

### Description

SS304 bottom clamp fit for 10-12mm glass, Square Mab pin, match with mab pin floor spring.




## Elegance D-20

### Description


SS304 Top clamp fit for 10-12mm glass, 15mm size insert, match with KE-502C or KE-40 / KE-30 / KE-511






### Elegance D-40

**Description** Ss304 Big L panel clamp fit for 10-12mm ,15mm size insert, match with KE-20



### Elegance D-90

**Description** Centre door lock SS304 door lock fit for 10-12mm glass, with 3 brass keys, and brass cylinder, lock plate.



### Elegance D-80

**Description** Lock strike box for KE-90 keys, and brass cylinder, lock plate.



### Elegance D-30

**Description** Ss304 Side panel clamp fit for 10-12mm glass to glass, 15mm size insert, match with KE-20



### Elegance D-511

**Description** Ss304 Side panel clamp fit for 10-12mm glass to wall, 15mm size insert, match with KE-20



### Elegance D-501

**Description** Small L conner clamp, 10-12mm glass




### Elegance D-815

**Description** Bottom door lock SS304 door lock fit for 10-12mm glass, with 3 brass keys, and brass cylinder, lock plate.



## Elegance D-528

Description Side clamp, glass to glass.



## Elegance D-539

Description Ss201 door lock fit for 10-12mm glass, with 3 brass keys, one side keys only



## Elegance D-774

Description Ss201 door lock fit for 10-12mm glass, with 3 brass keys, two side keys.



## Elegance D-891

Description Aluminum alloy door lock fit for 8-12mm glass, with 3 brass keys, one side keys ,one side knob.



## Elegance D-891A

Description Aluminum alloy door lock fit for 8-12mm glass, with 3 brass keys, one side keys ,one side knob.



## Elegance D-899

Description Alu alloy door hinge,fit for 8-10mm glass



## Elegance D-97

Description Alu alloy door hinge,fit for 8-10mm glass





### Elegance D-03

Description Stainless steel lock plate with screws.



### Elegance D04

Description stainless steel lock plate with screws.



### Elegance D-9001

Description Ss304 Belved cast hinge , 90° single open ,fit for 10-12mm glass, glass to wall



### Elegance D-90A

Description Ss304 Belved cast hinge, 90° double open ,fit for 10-12mm glass, glass to wall



### Elegance D-180C

Description Ss304 Belved cast hinge , 180° double open,fit for 10-12mm glass, glass to glass



### Elegance D-90D

Description Ss304 Belved cast hinge , 90° double open,fit for 10-12mm glass, glass to glass



### Elegance D-V90A

Description Ss304 straight cast hinge , 90° double open,fit for 10-12mm glass, glass to glass





## Elegance D-V135B

### Description

Ss304 straight cast hinge ,180° double open,fit for 10-12mm glass, glass to glass



## Elegance D-2135B

### Description

Zinc alloy hinge 90 ° double open fit for 10-12mm glass, glass to glass



## Elegance D-2180C

### Description


Zinc alloy hinge ,180° double open fit for 10-12mm glass, glass to glass



## Elegance D-03

### Description

90° SS304 glass clamp , fit for 10-12mm glass, glass to glass



## Elegance D-03B

### Description

90° SS304 glass clamp , fit for 10-12mm glass, glass to glass





## Elegance D-965

Description SS304,Size:32x100x400MM,  
thick:0.8mm



## Elegance D-965SM

Description SS304,Size:32x100x200MM,  
thick:0.8mm



## Elegance D-963

Description Ss304, Size:25\*200\*400,  
thick:0.8mm



20



## Elegance D-717

StainlesSteel

Black

Description Size: 35\*1125c/c\*1500\*1.0MM  
handle with lock( Round Pipe)



## Elegance D-600C

Description SS304,φ30\*30MM, fit for  
10-12mm glass



## Elegance D-101P

Description SS304,φ19MM, fit for 19mm pipe



**GROUP**

**elegance**  
interior glass systems



### Elegance D-102P

#### Description

SS304,  $\phi$ 19MM, fit for 19mm pipe  
one side open ,one side close



### Elegance D-103P

#### Description

SS304,  $\phi$ 19MM, fit for 19mm pipe  
two side open



### Elegance D-106P

#### Description

SS304,  $\phi$ 19MM, fit for 19mm pipe



### Elegance D-107P

#### Description

$\phi$ 19MM, fit for 19mm pipe



### Elegance D-056

#### Description

square handle, fit for 10-12mm  
glass size: 45\*58mm




### Elegance D-020

#### Description

Length: 3meter Pipe , size: $\phi$ 19mm,  
thickness:1.4mm, sample only  
3 meter and thickness at 1.4mm





### Elegance D-003

Description length:2.2meters,  
fit for 10mm glass



### Elegance D-004

Description length:2.2meters,  
fit for 10mm glass



### Elegance D-007

Description length:2.2meters,  
fit for 10mm glass



### Elegance D-007

Description length:2.2meters, fit for 10mm  
glass 90°&180° per pair magnetic  
pvc sealing strip (prices are for  
one pair sealing strip)



## AluD D-DH02

### Description

StainlesSteel

Black

Stainless steel handrial clamp,  
bottom plate fit for 16-20mm glass



## AluD D-DH03

### Description

StainlesSteel

Black

stainless steel handrial clamp,bottom  
plate fit for 16-20mm glass



## AluD D-DH05

### Description

StainlesSteel

Black

Stainless steel handrial clamp,  
bottom plate fit for 16-20mm glass





## ProD D-161

### Description

Silver

Black

Door weight: 40-65kg  
Max. door width: 900mm  
Screws size: 162\*19mm  
With stop at 90°



## ProD D-6325

### Description

Silver

Black

Door weight: EN2-EN5 (40-120kgs)  
Max. door width: 1200mm  
without hold open



## ProD D-6325D

### Description

Silver

Black

Door weight: EN2-EN5 (40-120kgs)  
Max. door width: 1200mm, With stop at 0-115°  
adjust by rail, the door closer already is hydraulic, it will close in two stage speed



DESIGNED  
PATENTED  
GERMANY

[www.d-group.pro](http://www.d-group.pro)